



## Castrol TranSynd RD

Automatic Transmission Fluid for Heavy Duty Applications

### Description

TranSynd™ RD is a premium, synthetic, universal powershift and automatic transmission fluid engineered to remain stable under the most severe conditions.

TranSynd™ RD was introduced by Allison Transmission for “Rigorous Duty” applications where extended drain intervals and reduced life cycle costs are desired in Allison 5000, 6000, 8000 and 9,000 Off-Highway Series transmissions

### Advantages

- Excellent thermal and oxidation stability resists deposit formation
- High viscosity index synthetic base fluids provide superior high/low temperature performance
- Excellent shear stability, excellent corrosion and anti-foaming characteristics
- Excellent wear protection
- Allows extended drain intervals and extended filter change intervals
- One fluid for year-round use in all geographic locations, reduced used oil disposal costs

### Typical Characteristics

Name	Method	Units	TranSynd™ RD
Density @ 15C, Relative	ASTM D4052	g/ml	0.847
Appearance	Visual	-	Red
Viscosity, Kinematic 100C	ASTM D445	mm <sup>2</sup> /s	10.0
Viscosity, Kinematic 40C	ASTM D445	mm <sup>2</sup> /s	56.0
Pour Point	ASTM D97	°C	-57
Viscosity, CCS -30C	ASTM D5293	mPa.s (cP)	4800
Flash Point, COC	ASTM D92	°C	210

## Product Performance Claims

Allison TES-353  
Allison C4

## Storage

All packages should be stored under cover. Where outside storage is unavoidable drums should be laid horizontally to avoid the possible ingress of water and damage to drum markings. Products should not be stored above 60°C, exposed to hot sun or freezing conditions.

Castrol TranSynd RD  
31 Dec 2019

Castrol, the Castrol logo and related marks are trademarks of Castrol Limited, used under licence.

This Data Sheet and information it contains is considered to be accurate at the date of printing. No warranty or representation, expressed or implied, is made as to the accuracy or completeness of the data and information contained in this publication. No statement made in this publication shall be construed as a permission, recommendation or authorization given or implied to practice any patented invention without a valid license. It is the User's obligation to evaluate and use products safely and within the scope advised in the Data Sheet, to assess suitability for the intended application, and to comply with all applicable laws and regulations. Material Safety Data Sheets are available for all our products and should be consulted for appropriate information regarding storage, safe handling, and disposal of the products. The Seller shall not be responsible for any loss, damage or injury resulting from any abnormal use of the product, from any failure to adhere to recommendations, nor from any hazards or risks which are i) identified in the Data Sheet, ii) inherent in the nature of petroleum products or iii) associated with the petroleum products concerned (provided that this disclaimer shall not affect any statutory rights of the Buyer of the petroleum products concerned). All products, services and information supplied are provided under our standard conditions of sale. You should consult our local representative if you require any further information.

BP Lubricants USA Inc., 1500 Valley Road , Wayne, NJ 07470

[www.castrol.com](http://www.castrol.com)