











PIG® Dri Loose Absorbent

PLP213-1 Absorbs Oils; Coolants; Solvents; Water; Universal, Each absorbs up to 5 gal., 1 bag

This silica-free loose absorbent combines the heavier consistency of clay with high absorbency to pull industrial liquids from your floor. Also great for outdoor use because it doesn't blow around.

- Unlike clay, which is simply coated with liquid, fast-wicking cellulose-based kaolin granules begin to soak up liquid the moment they touch the spill
- 47% recycled content is a byproduct of the paper-making process, ideal when green products are desired or required
- Silica-free composition does not pose the health hazards associated with breathing in clay dust
- Light-weight absorbent is easier than clay to carry and use without injury
- Absorbs and retains oils, coolants, solvents and water
- Can be incinerated after use to reduce waste or for fuels blending

Cellulose Fiber, Kaolin Clay, Calcium Carbonate

Specifications

Composition

Openiodions -	
Absorbency Range	1 - 9.9 gal.
Recycled Content	47% Post-Consumer Recycled Cellulose Waste
Absorbency	Up to 5 gal. per bag
Absorbency per	Up to 5 gal. per bag
Application	General Absorbent
Brand	PIG
Color	Gray
Fluid Absorbed	Oils; Coolants; Solvents; Water; Universal
Unit Weight	40 lb.
Sold as	1 bag
Weight	40 lbs.
NSN (National Stock Number)	4235-01-528-0401
# per Pallet	50

	Diethyl Pthalate, Estragole
UNSPSC	47131902
Pigalog® Page Number	Page 34

Intentionally Added Ingredients: Fragrance - Sodium Sulfate,

Metric Equivalent

Absorbency per	Up to 18.9 L per bag
Absorbency	Up to 18.9 L per bag
Weight	18.1 kg

Technical Information

Technical Documents

Technical Data Sheet for PIG® Dri Loose Absorbent

29 CFR 1910.22(a)(2)

Disclaimers

PIG® Dri Ingredient Notice

PIG® Dri Loose Absorbent contains intentionally added ingredients that may contain fragrance allergens.

Corrosive Liquids Notice

Not recommended for acids, bases or other corrosive liquids.

Absorbents Notice

All absorbents take on the properties of the liquids they have absorbed. When handling used absorbents, you must utilize all necessary safety precautions that are required to safely handle the liquid which has been absorbed.



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com